



DEPARTMENT OF PUBLIC HEALTH AND SOCIAL SERVICES
DIVISION OF ENVIRONMENTAL HEALTH
CHILD CARE FACILITY
INSPECTION REPORT

REASON		GRADE 2	Inspection Date: 9/25/2018		ESTABLISHMENT NAME: ANIGUA LEARNING LADDER CHILD CARE CENTER	
Regular	<input checked="" type="checkbox"/>		Time In/Out: 3:30pm - 4:20pm		OWNER/OPERATOR: JR PEREDO INC.	
Follow-Up	<input type="checkbox"/>				LOCATION: 114 WEST O'BRIEN	
Complaint	<input type="checkbox"/>		Sanitary Permit No.: 20000-180001885		ANIGUA, GUAM	
Investigation	<input type="checkbox"/>		RATING A		CCC/ NURSERY	
Other:	<input type="checkbox"/>			PERMIT STATUS: <input checked="" type="checkbox"/> Valid <input type="checkbox"/> Temporary <input type="checkbox"/> Expired		
No. of Children: 9 Male 10 Female 19 Total			Child Care License No.: 170128 / <input checked="" type="checkbox"/> Valid / <input type="checkbox"/> Provisional / <input type="checkbox"/> Expired			

The following items identify violations found this day in the operations and facilities which must be corrected by the next inspection or sooner as the Department indicates. Non-compliance may result in downgrading or permit suspension. To appeal a written request for hearing must be submitted before the indicated correction date.

ITEM*	REMARKS	DEMERIT	CORRECT BY
	A REGULAR INSPECTION WAS CONDUCTED.		
	PREVIOUS INSPECTION CONDUCTED ON 6/7/2018 (4, A).		
	ALL PREVIOUS VIOLATIONS WERE CORRECTED (#9).		
	THE FOLLOWING WAS OBSERVED:		
#29	ONE LIVE COCKROACH AND FRASS IN BOY'S BATHROOM AND ONE DEAD COCKROACH IN KITCHEN DRAWER WERE OBSERVED.	2	10/25/2018
	NO OTHER ACTIVITY WAS OBSERVED.		
	BOTH INDOOR AND OUTDOOR AREAS SHALL BE ADEQUATELY PROTECTED AND MAINTAINED CLEAN TO PREVENT ATTRACTION OF PESTS.		
	PHOTOS TAKEN.		
	"A" PLACARD # 02397 ISSUED.		
	PIC BRIEFED ON THE ABOVE.		

I have read and understand the above violation(s) and I am aware of the corrective measures to be taken.

*Note: When any of the following items are cited above, they shall be corrected within 10 days of this inspection:
 (2), (4), (6), (14), (21), (23), (24), (27), (28), (39) & (40).

Received By (Name & Title):

DEH Inspector (Name & Title):

J. GARCIA EPH01

CTARASE EPH01